

EQOair Aluminium Female Threaded Tee

Female threaded 90° Tee	Part Number	Ø	Fig.	A	В	E	L	s	gr.
	8041.020.049	20x1/2″	Α	101,0	48,0	37,0	35,0	29,0	95,0
0	8041.025.069	25x3/4″	Α	111,0	57,0	42,0	3 7,0	3 6,0	133, 0
	8041.032.089	32x1″	Α	136,0	70,0	51,0	46,0	43, 0	220,0
	8041.040.109	40x1.1/4″	Α	162,0	78,0	63,0	57,0	5 3,0	364,0
A 10	8041.050.129	50x1.1/2″	Α	206,0	95,0	78,5	68,0	66,0	703,0
	8041.063.169	63x2″	Α	230,0	114,0	95,0	83,0	82,0	1.135,0





Technical Details									
	EQO <i>air</i>								
Standard Colour	RAL 5012								
Max Working Pressure	16 bar								
Plant Testing Pressure 1 hour at 20°C	24 bar								
Quality Testing Pressure 1 hour at 20°C	72 bar								
Production tested percentage	1%								
O.Ring & Lip Gasket Material	NBR 65/75 S.A								
Continuous Service Temperature Limit	-30°C - 120°C								
Aluminium Pipe Mechanical Resistance	According to EN-755-2/2008 standards								
Pipe Material	Aluminium alloy EN AW 6060 - T5 according to EN 755-2/2008								
Pipe Thickness mm	Tube lenght tollerance +0 -0,1%								
Aluminium Fittings Material	Aluminium Alloy EN Aw 6061 T6 / ENAB 42000								
Clamp Ring Material	AISI 304 Stainless Steel								
Threads Standards	BSPT - British standard pipe taper - ISO 7-1								
Pipe Surface treatement	Polyester resin coated								

Components (DN20 - DN90)



- 1. Nut
- 2. Identifcation Ring
- 3. Clamping Ring
- 4. O-Ring
- 5. Body

Components (DN110 - DN160)



- 1. Half Blocking Ring
- 2. Lip Seal
- 3. Clamping Ring
- 4 Identification Mark Holder
- 5. Body
- 6. Bolts

Preperation

Verify the integrity of the pipe section to be inserted in the ftting.

Any scratches on the paint, if not deep, can be eliminated using 300-600 fine emery paper.

Deep dents/scratches can be eliminated only by changing the branch position or by replacing the pipe section.

When necessary, cut the pipe with a neat 90° cut. Carefully deburring the internal and external sharp resulting edges and make an external bevel of 2-4 mm length with a 30° taper.


All pipe supplied should be deburred internally, externally and beveled.

Mark the pipe so to have a reference for its correct insertion into the ftting to make sure it exceeds the gasket.

The table below shows the correct reference lengths.

DN	20	25	32	40	50	63	90
L(mm)	35	38	49	60	76	96	93

Lubricate the marked pipe section.







Assembly (DN20 - DN90)

Loosen the nut until the clamp ring is loose.

Ensure the pipe and fittings are parallel to each other.

Insert the pipe into the ftting up to align the reference mark with the external nut surface.

Tighten the nut by hand. In this case, the water tightness and axial clamping are ensured.







Assembly (DN110 - DN160)

Loosen the bolts of the ftting.

Ensure the pipe and fittings are parallel to each other.

Insert the pipe into the ftting up to align the reference mark with the external blocking ring surface.

Tighten all the bolts at a torque value of 15 N/m.

